

THE **ARRL**

FIFTH EDITION

HAM RADIO LICENSE MANUAL




EVERYTHING YOU NEED TO GET YOUR FIRST HAM RADIO LICENSE!

- All questions and answer key, with detailed explanations, to help you pass your test and get on the air!
- For use with exams taken between July 1, 2022 and June 30, 2026.



Amateur Radio Technician Exam Preparation Course



ARRL
The National Association for
Amateur Radio®

Amateur Radio Technician Exam Prep Course

Module 2

Radio and Signals Fundamentals

- 2.1 Radio Signals and Waves
- 2.2 Radio Equipment Basics

Metric Prefixes – The Language of Radio

(see Table 2.1)

- Metric system used because numbers cover large range of values
- Most common prefixes in radio ...
 - Pico (p), 0.000000000001, 10^{-12}
 - Nano (n), 0.000000001, 10^{-9}
 - Milli (m), 0.001, 10^{-3}
 - Centi (c), 0.01, 10^{-2}
 - Kilo (k), 1000, 10^3
 - Mega (**M**), 1000000, 10^6
 - Giga (**G**), 1000000000, 10^9

*NOTE: **M**ega and **G**iga use capital letters in the abbreviation.*

Table 2.1: International System of Units (SI) — Metric Units

PREFIX	SYMBOL	MULTIPLICATION FACTOR
Tera	T	$10^{12} = 1,000,000,000,000$
Giga	G	$10^9 = 1,000,000,000$
Mega	M	$10^6 = 1,000,000$
Kilo	k	$10^3 = 1000$
Hecto	h	$10^2 = 100$
Deca	da	$10^1 = 10$
Deci	d	$10^{-1} = 0.1$
Centi	c	$10^{-2} = 0.01$
Milli	m	$10^{-3} = 0.001$
Micro	μ	$10^{-6} = 0.000001$
Nano	n	$10^{-9} = 0.000000001$
Pico	p	$10^{-12} = 0.000000000001$

NOTE

$$10_{\square}^{-1} = \frac{1}{10}$$

$$10_{\square}^{-2} = \frac{1}{100}$$

$$10_{\square}^{-3} = \frac{1}{1000}$$

PRACTICE QUESTIONS

How many milliamperes is 1.5 amperes?

- A. 15 milliamperes
- B. 150 milliamperes
- C. 1500 milliamperes
- D. 15,000 milliamperes

Which is equal to 1,500,000 hertz?

- A. 1500 kHz
- B. 1500 MHz
- C. 15 GHz
- D. 150 kHz

Which is equal to one kilovolt?

- A. One one-thousandth of a volt
- B. One hundred volts
- C. One thousand volts
- D. One million volts

Which is equal to one microvolt?

- A. One one-millionth of a volt
- B. One million volts
- C. One thousand kilovolts
- D. One one-thousandth of a volt

Which is equal to 500 milliwatts?

- A. 0.02 watts
- B. 0.5 watts
- C. 5 watts
- D. 50 watts

Which is equal to 3000 milliamperes?

- A. 0.003 amperes
- B. 0.3 amperes
- C. 3,000,000 amperes
- D. 3 amperes

Which is equal to 3.525 MHz?

- A. 0.003525 kHz
- B. 35.25 kHz
- C. 3525 kHz
- D. 3,525,000 kHz

Which is equal to 1,000,000 picofarads?

- A. 0.001 microfarads
- B. 1 microfarad
- C. 1000 microfarads
- D. 1,000,000,000 microfarads

Which is equal to 28400 kHz?

- A. 28.400 kHz
- B. 2.800 MHz
- C. 284.00 MHz
- D. 28.400 MHz

Which is equal to 2425 MHz?

- A. 0.002425 GHz
- B. 24.25 GHz
- C. 2.425 GHz
- D. 2425 GHz

Frequency (See Fig 2.1)

- Radio waves continually vary in strength or amplitude
- This continual change is called *oscillating*
- Each complete up-and-down sequence is called a *cycle*
- *Frequency* (f) is the number of cycles/second (measured in Hertz, Hz)
- The *period* of the cycle (T) is its duration
- A *harmonic* is a signal with a frequency that is some multiple ($\times 2$, $\times 3$, $\times 4$ and so on) of a fundamental frequency

Figure 2.1: The frequency of a signal and its period are reciprocals. Higher frequency means shorter period and vice-versa.

WAVE VOCABULARY

- Amplitude
- Frequency (hertz, Hz, cycles/sec)
- Period (T, seconds, s)
- Fundamental
- Harmonics





Figure 2.2: **PHASE** is used as a measure of time within the signal. Each cycle of a sine wave is divided into 360° of phase (A). Parts (B) and (C) show two special cases. In (B) the two signals are 90° out of phase, and in (C) they are 180° out of phase.



Position within a cycle is called **phase**. Phase is used to compare how sine wave signals are aligned in time. Measured in degrees.

PRACTICE QUESTIONS

What is the unit of frequency?

- A. Hertz
- B. Henry
- C. Farad
- D. Tesla

What describes the number of times per second that an alternating current makes a complete cycle?

- A. Pulse rate
- B. Speed
- C. Wavelength
- D. Frequency


What is the abbreviation for megahertz?

- A. MH
- B. mh
- C. Mhz
- D. MHz

What is the abbreviation for kilohertz?

- A. KHZ
- B. khz
- C. khZ
- D. kHz

The Radio Spectrum



Signals that have a frequency greater than 20,000 Hz (or 20 kHz) are **radio frequency** or RF signals.

Electromagnetic Waves

- Electromagnetic waves are made up of *electric* and *magnetic* energy (fields)
- The electric and magnetic fields vary in the pattern of a sine wave
- Electromagnetic waves travel at the speed of light
- Moving electrons in an antenna take the place of the moving magnet
- A signal from a transmitter can make the electrons in an antenna move, transferring energy from the signal to electromagnetic waves
- The same process works *backwards* too
- Electromagnetic waves encountering an antenna make its electrons move in sync with the wave

Electromagnetic Waves (cont.)

- Electromagnetic energy is transferred from the wave to the electrons
- The moving electrons create a signal that can be detected by a receiver
- The electromagnetic spectrum is divided into ranges of frequencies in which electromagnetic waves behave similarly
- Each range or segment has a different name
- Waves with a certain range of frequencies which can be used for communication are called radio waves

The Radio Spectrum (cont.)


- The range of radio signal frequencies is called the *radio spectrum*
- Starts at 20 kHz and continues through several hundred GHz
- A specific range of frequencies in which signals are used for a common purpose or have similar characteristics is called a *band*
- Frequency bands used by amateurs are called *amateur bands* or ham bands
- Frequencies above 1 GHz are generally considered to be *microwaves*

Table 2.2: RF Spectrum Ranges

Range Name	Abbreviation	Frequency Range
Very Low Frequency	VLF	3 kHz – 30 kHz
Low Frequency	LF	30 kHz – 300 kHz
Medium Frequency	MF	300 kHz – 3 MHz
High Frequency	HF	3 MHz – 30 MHz
Very High Frequency	VHF	30 MHz – 300 MHz
Ultra High Frequency	UHF	300 MHz – 3 GHz
Super High Frequency	SHF	3 GHz – 30 GHz
Extremely High Frequency	EHF	30 GHz – 300 GHz

Figure 2.4

As a radio receiver is tuned across the AM broadcast band, starting at the left, it encounters each signal in turn. Between signals, only noise is received. Although signals can be received slightly lower and higher in frequency, the signal is received best when the receiver is tuned exactly to the signal's frequency.



PRACTICE QUESTIONS

What frequency range is referred to as VHF?

- A. 30 kHz to 300 kHz
- B. 30 MHz to 300 MHz
- C. 300 kHz to 3000 kHz
- D. 300 MHz to 3000 MHz

What frequency range is referred to as UHF?

- A. 30 to 300 kHz
- B. 30 to 300 MHz
- C. 300 to 3000 kHz
- D. 300 to 3000 MHz

What frequency range is referred to as HF?

- A. 300 to 3000 MHz
- B. 30 to 300 MHz
- C. 3 to 30 MHz
- D. 300 to 3000 kHz

What does the abbreviation “RF” mean?

- A. Radio frequency signals of all types
- B. The resonant frequency of a tuned circuit
- C. The real frequency transmitted as opposed to the apparent frequency
- D. Reflective force in antenna transmission lines

Wavelength


- *Wavelength* is the distance a radio wave travels during one cycle of the wave's electric and magnetic fields
- λ (lambda) is the symbol for wavelength
- Waves travel at the speed of light, c (300,000,000 or 3×10^8 meters per second)
- Hams can refer to bands by frequency (50MHz) or wavelength (6 meters)
- Because radio waves travel at a constant speed (one wavelength) ...

$$\lambda = \frac{c}{f}$$

Wavelength (cont.)

Figure 2.5 — As a radio wave travels, it oscillates at the frequency of the signal. Wavelength is the distance traveled by the wave during the time for one complete cycle.

A radio wave can be referred to by wavelength or frequency because the wave is moving at a constant velocity — the speed of light. If you know the frequency of a radio wave, you automatically know its wavelength!



PRACTICE QUESTIONS

What is the velocity of a radio wave traveling through free space?

- A. Speed of light
- B. Speed of sound
- C. Speed inversely proportional to its wavelength
- D. Speed that increases as the frequency increases

What is the relationship between wavelength and frequency?

- A. Wavelength gets longer as frequency increases
- B. Wavelength gets shorter as frequency increases
- C. Wavelength and frequency are unrelated
- D. Wavelength and frequency increase as path length increases

What is the formula for converting frequency to approximate wavelength in meters?

- A. Wavelength in meters equals frequency in hertz multiplied by 300
- B. Wavelength in meters equals frequency in hertz divided by 300
- C. Wavelength in meters equals frequency in megahertz divided by 300
- D. Wavelength in meters equals 300 divided by frequency in megahertz

In addition to frequency, which of the following is used to identify amateur radio bands?


- A. The approximate wavelength in meters
- B. Traditional letter/number designators
- C. Channel numbers
- D. All these choices are correct

What is the approximate velocity of a radio wave in free space?

- A. 150,000 meters per second
- B. 300,000,000 meters per second
- C. 300,000,000 miles per hour
- D. 150,000 miles per hour

Radio Equipment Basics

The Basic Radio
Station
(also called a
Transceiver)



An Amateur Radio Station Consists of 3 Basic Elements

- *Transmitter* (XMTR)
 - Generates a signal carrying speech, Morse Code, or data
- *Receiver* (RCVR)
 - Recovers the signal from someone else's transmitter
- *Antenna*
 - Turns signals from transmitter into energy (radio waves)
 - Captures signals (radio waves) and turns them into signals for the receiver
 - A feed line (or transmission line) connects the antenna to the transmitter or receiver
- Most systems combine *transmitter* & *receiver* into a *Transceiver* (abbreviated XCVR)


PRACTICE QUESTIONS

What is a transceiver?

- A. A device that combines a receiver and transmitter
- B. A device for matching feed line impedance to 50 ohms
- C. A device for automatically sending and decoding Morse code
- D. A device for converting receiver and transmitter frequencies to another band

Radio Equipment Basics (cont.)

Repeaters



Repeaters

- Consists of a receiver and transmitter that re-transmit info from a received signal simultaneously on another frequency or channel
 - Called ***duplex communication***
- Usually located on high buildings, towers, hills, etc. for max. range
- Provide local & regional communications between low-power stations
- Often used for local emergency “traffic”
- Can be used for voice, data, or video signals (voice is the most common)
- The duplexer allows the repeater’s transmitter and receiver to share a common antenna at the same time

PRACTICE QUESTIONS

What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?

- A. Beacon station
- B. Earth station
- C. Repeater station
- D. Message forwarding station

END OF MODULE 2

